

CUSTOMER PRODUCT SPECIFICATION SHEET



SPECIFICATIONS

7.9 AMP

1000 MEGOHMS MIN. 

30m ohms MAX.

1000V AC/DC  23

-40°C TO +105°C

BRASS

LCP, UL 94V-0

TIN OVER 30-50U" NICKEL


OW: 280°C FOR 10 SEC

250°C FOR 5-10 SEC

MATES WITH: - BB02-VM


NOTES:

1. GOLD FLASH PLATING IS AVAILABLE UPON REQUEST,
PLEASE CONTACT US FOR MORE INFORMATION.




RECOMMENDED PC BOARD LAYOUT

(Tolerance: $\pm 0.05\text{mm}$)



HOW TO ORDER



Pin length options:

CODE	A (mm)	B (mm)	CODE	A (mm)	B (mm)
A	3.80	4.55	K	26.5	3.00
B	15.00	2.00	L	16.1	3.00

CODE	A (mm)	B (mm)
A	3.80	4.55
B	15.00	2.00
C	10.80	3.40
D	13.00	10.64
E	6.60	3.56
F	20.83	2.82
G	13.20	4.55
H	15.05	13.91
I	22.00	3.00
J	12.46	3.00

REV.	DATE	DESCRIPTION
05	02/05/07	NYW RELEASE
11	05/12/07	NYW ADD PIN LENGTH B. REMOVE PLATING OPTIONS : A, B, C, T, E, F, G
12	05/05/08	NYW ADD PIN LENGTH C. REMOVE PLATING OPTIONS : K, D.
13	12/06/08	CHC ADD PIN LENGTH D.
14	24/08/08	CHC ADD PIN LENGTH E.
15	25/12/08	NYW DRAWING MODIFICATION.
16	06/03/09	NYW ADD NOTES 1
17	23/03/09	NYW ADD PIN LENGTH F.
18	09/09/09	CHC ADD PIN LENGTH G.
19	23/02/10	NYW ADD PIN LENGTH H, I & J.
20	10/03/10	NYW ADD PIN LENGTH K.
21	21/05/10	CHC AMEND SPECIFICATION PCB HOLE
22	03/04/12	NYW ADD PIN LENGTH L OPTION
23	24/07/14	NYW AMEND SPECIFICATION

Scale:	4:1	THIRD ANGLE	<div>Unstated X, ± 0.30 X ± 0.25 XX ± 0.15 XXX ± 0.10</div>	Material SEE NOTE
Drawn:	CHC			
App'd:	XXXX	Title HEADER		NOT TO SCALE
Date:	24 JUL '14	Revision:	2.3	Unit: mm



Type: BB02-VA

BB02-VA

Drawing Number:

Sheet 1 of 1

THIS DRAWING IS CONFIDENTIAL AND MUST NOT BE
COPIED OR DISCLOSED WITHOUT WRITTEN CONSENT

Drawing	(C)	E and O E
---------	-----	-----------